

Supporting Information

for

Synthesis of glycosylated β^3 -homo-threonine conjugates for mucin-like glycopeptide antigen analogues

Florian Karch and Anja Hoffmann-Röder*

Address: Institut für Organische Chemie, Johannes Gutenberg-Universität Mainz,
Duesbergweg 10–14, D-55128 Mainz, Germany, Phone: +49-6131-3922417, Fax: +49-6131-
3924786



Email: Anja Hoffmann-Röder - hroeder@uni-mainz.de

*Corresponding author



Table of contents


NMR spectra and HPLC chromatogram of compound 2a	2
NMR spectra of compound 2b	4
NMR spectra of compound 4	6
NMR spectra of compound 7	7
NMR spectra of compound 8	8

Compound **2a** (300 MHz, CD₃OD): ¹H






Compound **2a** (400 MHz, CD₃OD): ¹H, ¹³C, H,H-COSY








Compound **2b** (400 MHz, CD₃OD): ¹H, ¹³C, H,H-COSY







Compound **4** (400 MHz, CD₃OD): ¹H, ¹³C, H,H-COSY





Compound 7 (400 MHz, D₂O): ¹H, H,H-COSY





Compound **8** (400 MHz, D₂O): ¹H, H,H-COSY

